




# Wibrain Q-series

 De wibrain Q-serie is een lijn met slimme opberg en oplaad trolleys, met 'Cycle' laadsysteem, voor 32-36 apparaten

De originele voedingen worden aan de achterzijde ingebouwd en veilig opgeborgen achter een deurtje met slot



Authorised Reseller :



## Technische voordelen Q1 / Q3

- Opladen van 32/36 apparaten op 1 stopcontact
- 16 amp. vermogen, dus dubbel zo snel opladen
- 270 graden draaibare deurtjes voor gemakkelijk in en uitladen van apparaten
- Actieve koeling t.b.v. een optimale levensduur van uw apparatuur
- Piekspanning (softstart) en overspannings beveiliging
- Ingebouwde 2P schakelautomaat (automatische zekering)
- Ingebouwde tijdschakelaar voor optimaal laad management



## TECHNISCHE SPECIFICATIES

	Wibrain Q1	Wibrain Q3
<b>Ergonomics</b>	32 bay charge & store trolley	36 bay charge & store trolley
Trolley dimensions	980(H) x 760(W) x 640(D)	980(H) x 806(W) x 605(D)
Weight	Net weight: 82 kgs Gross weight: 99 kgs	Net weight: 82 kgs Gross weight: 99 kgs
Wheels	4 x 5 inch, swiveling, 2 with brakes	4 x 5 inch, swiveling, 2 with brakes
Loading/unloading height	from top to bottom	from top to bottom
<b>Security</b>		
Security mounting eye	V	V
Device compartment lock	Lock with 4 keys	Lock with 4 keys
<b>Charging system</b>		
input/output	Input: 220-240V AC 50/60Hz 16A Output: Each outlet: 220-240V AC 50/60Hz, 0.65A Total: 15.6A max	Input: 220-240V AC 50/60Hz 16A Output: Each outlet: 220-240V AC 50/60Hz, 0.65A Total: 15.6A max
Max output (rated voltage 230V, power factor 1)	≈3680W	≈3680W
Soft-start (peak power protection)	V	V
Auto Current Controlling	-	-
Over Current (overload) protection	V	V
Charging most devices all the time & automatically	-	-
CYCLE charging in timer mode	V	V
Always ON in timer mode	V	V
Always ON	V	V
<b>Protection against overheating</b>		
Active cooling (Active FAN's)	V	V
Auto FAN speed operation, current driven	V (Position detect)	V (Position detect)
<b>Devices</b>		
Nr	32	36
Max size devices	15,6 inch	14 inch
Slotsize	32(L)x429(D)x325(H)mm	32(L)x394(D)x325(H)mm
Placement	Vertical on long side	Vertical on long side
Baskets use possible?	No	No
<b>General</b>		
Warranty	2 years	2 years
Approvals	Safety standard: IEC62368.1, EN62368.1 CE: LVD: EN62368.1 EMC: EN55032(Class B), EN55035,EN61000-3-2, EN61000-3-3	Safety standard: IEC62368.1, EN62368.1 CE: LVD: EN62368.1 EMC: EN55032(Class B), EN55035,EN61000-3-2, EN61000-3-3